


Water Monitoring Data Report

14-Jul-21

The attached report contains the water monitoring data for all the licenced water monitoring points as required by the Environment Protection Licence 10232, for June 2021 as part of the reporting period July 2020 - June 2021.

Authorised by:



Uday Bhagwat
Pulp Mill Manager



Johan Stoltz
General Manager



Latest Publication Date:		14-Jul-21		Environment Protection Licence:		10232	
Monitoring Location No:		9					
Description:		Outlet pipe from the 400ML storage pond into Sandy Creek		Reporting Period:		July 2020 to June 2021	
Monitoring Type:		Grab Sample		Sample Type:		Water	
Parameter	Unit	Concentration Limit	Date of Sample	Date of Report	Data	Compliance (Yes/No)	Comment
BOD	mg/L	40				Yes	Note
Nitrogen (total)	mg/L	20				Yes	Note
pH	pH	5.5 - 9.5				Yes	Note
Phosphorus (total)	mg/L	5				Yes	Note
TDS	mg/L	N/A				N/A	Note
TSS	mg/L	45				Yes	Note
Zinc	mg/L	N/A				N/A	Note
BOD	mg/L	40				Yes	Note
Nitrogen (total)	mg/L	20				Yes	Note
pH	pH	5.5 - 9.5				Yes	Note
Phosphorus (total)	mg/L	5				Yes	Note
TDS	mg/L	N/A				N/A	Note
TSS	mg/L	45				Yes	Note
Zinc	mg/L	N/A				N/A	Note

N/A-Not Applicable
Note: Sampling only conducted on day of discharge from 400ML The attached report contains the water monitoring data for all the licenced water monitoring points as required by the Environment Protection Licence

Latest Publication Date: 14-Jul-21

Monitoring Location No: 10

Description: Decant Line from the Sequencing Batch Reactor

Monitoring Type: Grab Sample

Environment Protection Licence: 10232

Reporting Period: July 2020 to June 2021

Sample Type: Water

Month	Parameter	Units	Concentration Limit	Frequency	Date of Sample	Date of Report	Report No.	Data	Compliance (Yes/No)	Comment
Jul-20	BOD	mg/L	40	1st Period	1-Jul-20	4-Aug-20	2007-0011	6	Yes	
	Nitrogen (total)	mg/L	20	1st Period	1-Jul-20	4-Aug-20	2007-0011	3	Yes	
	Oil and Grease	mg/L	5	1st Period	1-Jul-20	4-Aug-20	2007-0011	3	Yes	
	pH	pH	5.5 - 9.5	1st Period	1-Jul-20	4-Aug-20	2007-0011	7.6	Yes	
	Phosphorus (total)	mg/L	5	1st Period	1-Jul-20	4-Aug-20	2007-0011	1.00	Yes	
	Sodium Adsorption Ratio	SAR	N/A	1st Period	1-Jul-20	4-Aug-20	2007-0011	4	N/A	
	TDS	mg/L	N/A	1st Period	1-Jul-20	4-Aug-20	2007-0011	244	N/A	
	TSS	mg/L	45	1st Period	1-Jul-20	4-Aug-20	2007-0011	21	Yes	
	Zinc	mg/L	N/A	1st Period	1-Jul-20	4-Aug-20	2007-0011	0.062	N/A	
Aug-20	BOD	mg/L	40	2nd Period	4-Aug-20	18-Aug-20	2008-0008	19	Yes	
	Nitrogen (total)	mg/L	20	2nd Period	4-Aug-20	18-Aug-20	2008-0008	4	Yes	
	Oil and Grease	mg/L	5	2nd Period	4-Aug-20	18-Aug-20	2008-0008	4	Yes	
	pH	pH	5.5 - 9.5	2nd Period	4-Aug-20	18-Aug-20	2008-0008	7.0	Yes	
	Phosphorus (total)	mg/L	5	2nd Period	4-Aug-20	18-Aug-20	2008-0008	0.01	Yes	<0.01
	Sodium Adsorption Ratio	SAR	N/A	2nd Period	4-Aug-20	18-Aug-20	2008-0008	5	N/A	
	TDS	mg/L	N/A	2nd Period	4-Aug-20	18-Aug-20	2008-0008	239	N/A	
	TSS	mg/L	45	2nd Period	4-Aug-20	18-Aug-20	2008-0008	14	Yes	
	Zinc	mg/L	N/A	2nd Period	4-Aug-20	18-Aug-20	2008-0008	0.038	N/A	
Sep-20	BOD	mg/L	40	3rd Period	7-Sep-20	25-Sep-20	2009-0028	6	Yes	
	Nitrogen (total)	mg/L	20	3rd Period	7-Sep-20	25-Sep-20	2009-0028	3	Yes	
	Oil and Grease	mg/L	5	3rd Period	7-Sep-20	25-Sep-20	2009-0028	5	Yes	
	pH	pH	5.5 - 9.5	3rd Period	7-Sep-20	25-Sep-20	2009-0028	7.1	Yes	
	Phosphorus (total)	mg/L	5	3rd Period	7-Sep-20	25-Sep-20	2009-0028	0.98	Yes	
	Sodium Adsorption Ratio	SAR	N/A	3rd Period	7-Sep-20	25-Sep-20	2009-0028	3	N/A	
	TDS	mg/L	N/A	3rd Period	7-Sep-20	25-Sep-20	2009-0028	182	N/A	
	TSS	mg/L	45	3rd Period	7-Sep-20	25-Sep-20	2009-0028	13	Yes	
	Zinc	mg/L	N/A	3rd Period	7-Sep-20	25-Sep-20	2009-0028	0.033	N/A	
Dec-20	BOD	mg/L	40	4th Period	3-Dec-20	19-Jan-21	2012-0027	8	Yes	
	Nitrogen (total)	mg/L	20	4th Period	3-Dec-20	19-Jan-21	2012-0027	2	Yes	
	Oil and Grease	mg/L	5	4th Period	3-Dec-20	19-Jan-21	2012-0027	3	Yes	
	pH	pH	5.5 - 9.5	4th Period	3-Dec-20	19-Jan-21	2012-0027	7.3	Yes	
	Phosphorus (total)	mg/L	5	4th Period	3-Dec-20	19-Jan-21	2012-0027	0.61	Yes	
	Sodium Adsorption Ratio	SAR	N/A	4th Period	3-Dec-20	19-Jan-21	2012-0027	5	N/A	
	TDS	mg/L	N/A	4th Period	3-Dec-20	19-Jan-21	2012-0027	319	N/A	
	TSS	mg/L	45	4th Period	3-Dec-20	19-Jan-21	2012-0027	23	Yes	
	Zinc	mg/L	N/A	4th Period	3-Dec-20	19-Jan-21	2012-0027	0.025	N/A	
Jan-21	BOD	mg/L	40	5th Period	5-Jan-21	12-Feb-21	2101-0016	5	Yes	
	Nitrogen (total)	mg/L	20	5th Period	5-Jan-21	12-Feb-21	2101-0016	3	Yes	
	Oil and Grease	mg/L	5	5th Period	5-Jan-21	12-Feb-21	2101-0016	4	Yes	
	pH	pH	5.5 - 9.5	5th Period	5-Jan-21	12-Feb-21	2101-0016	8.0	Yes	
	Phosphorus (total)	mg/L	5	5th Period	5-Jan-21	12-Feb-21	2101-0016	0.83	Yes	
	Sodium Adsorption Ratio	SAR	N/A	5th Period	5-Jan-21	12-Feb-21	2101-0016	5	N/A	
	TDS	mg/L	N/A	5th Period	5-Jan-21	12-Feb-21	2101-0016	258	N/A	
	TSS	mg/L	45	5th Period	5-Jan-21	12-Feb-21	2101-0016	26	Yes	
	Zinc	mg/L	N/A	5th Period	5-Jan-21	12-Feb-21	2101-0016	0.03	N/A	
Mar-21	BOD	mg/L	40	6th Period	3-Mar-21	7-Apr-21	2103-0022	10	Yes	
	Nitrogen (total)	mg/L	20	6th Period	3-Mar-21	7-Apr-21	2103-0022	5	Yes	
	Oil and Grease	mg/L	5	6th Period	3-Mar-21	7-Apr-21	2103-0022	1	Yes	<1
	pH	pH	5.5 - 9.5	6th Period	3-Mar-21	7-Apr-21	2103-0022	7.2	Yes	
	Phosphorus (total)	mg/L	5	6th Period	3-Mar-21	7-Apr-21	2103-0022	0.89	Yes	
	Sodium Adsorption Ratio	SAR	N/A	6th Period	3-Mar-21	7-Apr-21	2103-0022	4	N/A	
	TDS	mg/L	N/A	6th Period	3-Mar-21	7-Apr-21	2103-0022	231	N/A	
	TSS	mg/L	45	6th Period	3-Mar-21	7-Apr-21	2103-0022	23	Yes	
	Zinc	mg/L	N/A	6th Period	3-Mar-21	7-Apr-21	2103-0022	0.04	N/A	

N/A-Not Applicable



Latest Publication Date:	14-Jul-21		
Monitoring Location No:	11	Environment Protection Licence:	10232
Description:	Sandy creek, upstream of discharge point	Reporting Period:	July 2020 to June 2021
Monitoring Type:	Grab Sample	Sample Type:	Water

Month	Parameter	Unit	Date of Sample	Date of Report	Data	Comments
	BOD	mg/L				Note
	Nitrogen (total)	mg/L				Note
	pH	pH				Note
	Phosphorus (total)	mg/L				Note
	TDS	mg/L				Note

N/A-Not Applicable
Note: Sampling only conducted on day of discharge from 400ML Storage Dam into Sandy Creek and monthly thereafter
General Note: Limits are not applicable to this monitoring point

Latest Publication Date: 14-Jul-21
Monitoring Location No: 12
Description: Sandy creek, downstream of discharge point
Monitoring Type: Grab Sample

Environment Protection Licence: 10232
Reporting Period: July 2020 to June 2021
Sample Type: Water

Month	Parameter	Unit	Date of Sample	Date of Report	Data	Comments
	BOD	mg/L				Note
	Nitrogen (total)	mg/L				Note
	pH	pH				Note
	Phosphorus (total)	mg/L				Note
	TDS	mg/L				Note
Nov-16	BOD	mg/L				Note
	Nitrogen (total)	mg/L				Note
	pH	pH				Note
	Phosphorus (total)	mg/L				Note
	TDS	mg/L				Note

N/A-Not Applicable

Note: Sampling only conducted on day of discharge from 400ML Storage Dam into Sandy Creek and monthly thereafter

General Note: Limits are not applicable to this monitoring point

Latest Publication Date: 14-Jul-21

Monitoring Location No: 13

Environment Protection Licence: 10232

Description: Soil Monitoring Sites 1 to 7

Reporting Period: July 2020 to June 2021

Monitoring Type: Representative Sample

Sample Type: Soil

Sampling point	Parameter	Unit	Date of Sample	Date of Report	Report No.	Data
SMS1	Aggregate stability	As approp.	1-Oct-20	06-Nov-20	2010-0009	6.00
	Aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	37100.00
	Available phosphorus	ppm	1-Oct-20	06-Nov-20	2010-0009	<5
	Conductivity	mS/cm	1-Oct-20	06-Nov-20	2010-0009	0.12
	Exchangeable aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	0.00
	Exchangeable calcium	ppm	1-Oct-20	06-Nov-20	2010-0009	681.40
	Exchangeable magnesium	ppm	1-Oct-20	06-Nov-20	2010-0009	826.50
	Exchangeable potassium	ppm	1-Oct-20	06-Nov-20	2010-0009	58.70
	Exchangeable sodium	ppm	1-Oct-20	06-Nov-20	2010-0009	321.90
	Exchangeable sodium percentage	%	1-Oct-20	06-Nov-20	2010-0009	11.00
	Nitrate	ppm	1-Oct-20	06-Nov-20	2010-0009	1.30
	Nitrogen (total)	ppm	1-Oct-20	06-Nov-20	2010-0009	461.00
	Organic carbon	%	1-Oct-20	06-Nov-20	2010-0009	0.40
	pH	pH	1-Oct-20	06-Nov-20	2010-0009	6.00
	Phosphorus Sorption Capacity	As approp.	1-Oct-20	06-Nov-20	2010-0009	320.00
SMS2	Aggregate stability	As approp.	1-Oct-20	06-Nov-20	2010-0009	3.00
	Aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	28300.00
	Available phosphorus	ppm	1-Oct-20	06-Nov-20	2010-0009	<5
	Conductivity	mS/cm	1-Oct-20	06-Nov-20	2010-0009	0.08
	Exchangeable aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	197.90
	Exchangeable calcium	ppm	1-Oct-20	06-Nov-20	2010-0009	1783.60
	Exchangeable magnesium	ppm	1-Oct-20	06-Nov-20	2010-0009	364.70
	Exchangeable potassium	ppm	1-Oct-20	06-Nov-20	2010-0009	195.50
	Exchangeable sodium	ppm	1-Oct-20	06-Nov-20	2010-0009	223.00
	Exchangeable sodium percentage	%	1-Oct-20	06-Nov-20	2010-0009	11.00
	Nitrate	ppm	1-Oct-20	06-Nov-20	2010-0009	1.70
	Nitrogen (total)	ppm	1-Oct-20	06-Nov-20	2010-0009	475.00
	Organic carbon	%	1-Oct-20	06-Nov-20	2010-0009	0.40
	pH	pH	1-Oct-20	06-Nov-20	2010-0009	5.70
	Phosphorus Sorption Capacity	As approp.	1-Oct-20	06-Nov-20	2010-0009	160.00
SMS3	Aggregate stability	As approp.	1-Oct-20	06-Nov-20	2010-0009	3.00
	Aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	86900.00
	Available phosphorus	ppm	1-Oct-20	06-Nov-20	2010-0009	<5
	Conductivity	mS/cm	1-Oct-20	06-Nov-20	2010-0009	0.09
	Exchangeable aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	0.00
	Exchangeable calcium	ppm	1-Oct-20	06-Nov-20	2010-0009	1362.70
	Exchangeable magnesium	ppm	1-Oct-20	06-Nov-20	2010-0009	376.80
	Exchangeable potassium	ppm	1-Oct-20	06-Nov-20	2010-0009	58.70
	Exchangeable sodium	ppm	1-Oct-20	06-Nov-20	2010-0009	275.90
	Exchangeable sodium percentage	%	1-Oct-20	06-Nov-20	2010-0009	11.00
	Nitrate	ppm	1-Oct-20	06-Nov-20	2010-0009	1.10
	Nitrogen (total)	ppm	1-Oct-20	06-Nov-20	2010-0009	696.00
	Organic carbon	%	1-Oct-20	06-Nov-20	2010-0009	0.60
	pH	pH	1-Oct-20	06-Nov-20	2010-0009	7.10
	Phosphorus Sorption Capacity	As approp.	1-Oct-20	06-Nov-20	2010-0009	180.00
SMS4	Aggregate stability	As approp.	1-Oct-20	06-Nov-20	2010-0009	6.00
	Aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	70000.00
	Available phosphorus	ppm	1-Oct-20	06-Nov-20	2010-0009	<5
	Conductivity	mS/cm	1-Oct-20	06-Nov-20	2010-0009	0.10
	Exchangeable aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	0.00
	Exchangeable calcium	ppm	1-Oct-20	06-Nov-20	2010-0009	1202.40
	Exchangeable magnesium	ppm	1-Oct-20	06-Nov-20	2010-0009	279.60
	Exchangeable potassium	ppm	1-Oct-20	06-Nov-20	2010-0009	132.90
	Exchangeable sodium	ppm	1-Oct-20	06-Nov-20	2010-0009	275.90
	Exchangeable sodium percentage	%	1-Oct-20	06-Nov-20	2010-0009	12.00
	Nitrate	ppm	1-Oct-20	06-Nov-20	2010-0009	2.40
	Nitrogen (total)	ppm	1-Oct-20	06-Nov-20	2010-0009	481.00
	Organic carbon	%	1-Oct-20	06-Nov-20	2010-0009	0.40
	pH	pH	1-Oct-20	06-Nov-20	2010-0009	7.30
	Phosphorus Sorption Capacity	As approp.	1-Oct-20	06-Nov-20	2010-0009	380.00
SMS5	Aggregate stability	As approp.	1-Oct-20	06-Nov-20	2010-0009	3.00

Latest Publication Date: 14-Jul-21

Monitoring Location No: 13

Environment Protection Licence: 10232

Description: Soil Monitoring Sites 1 to 7

Reporting Period: July 2020 to June 2021

Monitoring Type: Representative Sample

Sample Type: Soil

Sampling point	Parameter	Unit	Date of Sample	Date of Report	Report No.	Data
	Aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	39400.00
	Available phosphorus	ppm	1-Oct-20	06-Nov-20	2010-0009	<5
	Conductivity	mS/cm	1-Oct-20	06-Nov-20	2010-0009	0.11
	Exchangeable aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	9.00
	Exchangeable calcium	ppm	1-Oct-20	06-Nov-20	2010-0009	721.40
	Exchangeable magnesium	ppm	1-Oct-20	06-Nov-20	2010-0009	267.40
	Exchangeable potassium	ppm	1-Oct-20	06-Nov-20	2010-0009	78.20
	Exchangeable sodium	ppm	1-Oct-20	06-Nov-20	2010-0009	204.60
	Exchangeable sodium percentage	%	1-Oct-20	06-Nov-20	2010-0009	13.00
	Nitrate	ppm	1-Oct-20	06-Nov-20	2010-0009	1.30
	Nitrogen (total)	ppm	1-Oct-20	06-Nov-20	2010-0009	456.00
	Organic carbon	%	1-Oct-20	06-Nov-20	2010-0009	0.40
	pH	pH	1-Oct-20	06-Nov-20	2010-0009	6.60
	Phosphorus Sorption Capacity	As approp.	1-Oct-20	06-Nov-20	2010-0009	240.00
SMS6	Aggregate stability	As approp.	1-Oct-20	06-Nov-20	2010-0009	6.00
	Aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	51100.00
	Available phosphorus	ppm	1-Oct-20	06-Nov-20	2010-0009	<5
	Conductivity	mS/cm	1-Oct-20	06-Nov-20	2010-0009	0.60
	Exchangeable aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	219.00
	Exchangeable calcium	ppm	1-Oct-20	06-Nov-20	2010-0009	2.40
	Exchangeable magnesium	ppm	1-Oct-20	06-Nov-20	2010-0009	481.00
	Exchangeable potassium	ppm	1-Oct-20	06-Nov-20	2010-0009	174.70
	Exchangeable sodium	ppm	1-Oct-20	06-Nov-20	2010-0009	279.60
	Exchangeable sodium percentage	%	1-Oct-20	06-Nov-20	2010-0009	6.70
	Nitrate	ppm	1-Oct-20	06-Nov-20	2010-0009	12.00
	Nitrogen (total)	ppm	1-Oct-20	06-Nov-20	2010-0009	275.00
	Organic carbon	%	1-Oct-20	06-Nov-20	2010-0009	72.00
	pH	pH	1-Oct-20	06-Nov-20	2010-0009	5.40
	Phosphorus Sorption Capacity	As approp.	1-Oct-20	06-Nov-20	2010-0009	220.00
SMS7	Aggregate stability	As approp.	1-Oct-20	06-Nov-20	2010-0009	3.00
	Aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	43300.00
	Available phosphorus	ppm	1-Oct-20	06-Nov-20	2010-0009	<5
	Conductivity	mS/cm	1-Oct-20	06-Nov-20	2010-0009	0.03
	Exchangeable aluminium	ppm	1-Oct-20	06-Nov-20	2010-0009	143.90
	Exchangeable calcium	ppm	1-Oct-20	06-Nov-20	2010-0009	681.40
	Exchangeable magnesium	ppm	1-Oct-20	06-Nov-20	2010-0009	194.50
	Exchangeable potassium	ppm	1-Oct-20	06-Nov-20	2010-0009	27.40
	Exchangeable sodium	ppm	1-Oct-20	06-Nov-20	2010-0009	27.60
	Exchangeable sodium percentage	%	1-Oct-20	06-Nov-20	2010-0009	1.70
	Nitrate	ppm	1-Oct-20	06-Nov-20	2010-0009	1.30
	Nitrogen (total)	ppm	1-Oct-20	06-Nov-20	2010-0009	396.00
	Organic carbon	%	1-Oct-20	06-Nov-20	2010-0009	0.50
	pH	pH	1-Oct-20	06-Nov-20	2010-0009	5.40
	Phosphorus Sorption Capacity	As approp.	1-Oct-20	06-Nov-20	2010-0009	260.00

General Note: Sampling conducted every 3 years

General Note: Limits are not applicable to this monitoring point

Note: Required 3 yearly sampling not scheduled until 2015

Latest Publication Date: 14-Jul-21
 Monitoring Location No: 14
 Description: Groundwater Monitoring Bores - Depth
 Monitoring Type: Grab Sample

Environment Protection Licence: 10232
 Reporting Period: July 2020 to June 2021
 Sample Type: Depth

Month	Date of Sample	Units	Borehole No														
			BH1	BH2	BH3	BH7S	BH7D	BH8S	BH8D	BH9	BH10D	BH11S	BH11D	BH13	BH14	BH15S	BH15D
Jul-20	1-Jul-20	m	6.90	6.70	8.23	Note 1	7.67	2.41	2.78	10.35	7.70	2.18	2.44	1.32	1.90	1.82	2.10
Oct-20	1-Oct-20	m	4.65	4.25	6.36	Note 1	7.01	1.81	2.35	9.45	7.10	1.90	1.80	0.98	0.56	2.20	2.40
Jan-21	12-Jan-21	m	3.70	3.50	5.90	Note 1	6.75	1.50	1.81	9.63	6.72	2.50	1.75	0.72	1.24	2.80	2.60
Apr-21	8-Apr-21	m	3.96	3.80	6.60	Note 1	7.15	1.50	1.92	9.30	6.82	2.40	2.01	0.82	1.51	2.70	2.50

General Note: Limits are not applicable to this monitoring point

Note 1- Bore empty

Note 2- All readings taken from top of casing

Latest Publication Date: 14-Jul-21		Monitoring Location No: 14		Environment Protection Licence: 10232																	
Description: Groundwater Monitoring Bores - Quality		Reporting Period: July 2020 to June 2021																			
Monitoring Type: Grab Sample		Sample Type: Water																			
Month	Parameter	Units	Freq	Date of Sample	Date of Report	Report No.	BH1	BH2	BH3	BH7S	BH7D	BH8S	BH8D	BH9	BH10D	BH11S	BH11D	BH13	BH14	BH15S	BH15D
Jul 20	Conductivity	mS/cm	1st Qrt	01-Jul-20	24-Jul-20	2007-0009	384	138	133	Note 1	496	732	623	629	630	199	805	951	618	325	443
	Nitrate	ppm	1st Qrt	01-Jul-20	24-Jul-20	2007-0009	1.4	5.2	3.5	Note 1	<0.1	1.6	6.6	10.7	13.1	0.2	0.1	<0.1	0.2	4.9	10.8
	pH	pH	1st Qrt	01-Jul-20	24-Jul-20	2007-0009	6.8	6.7	6.7	Note 1	6.1	6.5	6.2	6.3	6.5	6.7	6.5	6.6	6.5	6.6	6.8
Oct 20	pH	pH	2nd Qrt	01-Oct-20	08-Oct-20	2010-0006	6.5	5.5	5.6	Note 1	6.1	6.4	6.3	6.3	6.4	6.5	6.5	6.5	6.4	6.7	6.6
Jan 21	Conductivity	mS/cm	3rd Qrt	12-Jan-21	12-Jan-21	2101-0056	430	173	139	Note 1	503	1540	504	305	676	791	402	959	760	439	345
	Nitrate	ppm	3rd Qrt	12-Jan-21	12-Jan-21	2101-0056	3.0	4.0	2.0	Note 1	<1	2.0	2.0	12.0	11.0	<1	<1	<1	<1	<1	9.0
	pH	pH	3rd Qrt	12-Jan-21	12-Jan-21	2101-0056	6.6	6.3	6.2	Note 1	6.4	6.9	6.7	6.6	6.8	6.7	6.5	6.7	6.9	7.1	6.9
Apr 21	pH	pH	4th Qrt	07-Apr-21	14-Apr-21	2104-0022	6.0	6.1	6.0	Note 1	6.7	6.7	7.1	6.4	7.4	6.9	6.8	7.5	6.8	6.6	7.2

General Note: Limits are not applicable to this monitoring point

Note 1- Bore empty